ISA
TRANSACTIONS®

ISA Transactions 41 (2002) 539–541

Author index of Volume 41

Adam, E.J. and E.D. Guestrin, Identification and robust control of an experimental servo motor 225–234
Alsop, N., *see* Sanchez, A. 343–363
Altamiranda, E., H. Torres, E. Colina and E. Chacón, Supervisory control design based on hybrid systems and fuzzy events detection. Application to an oxichlorination reactor 485–499
Asharif, M.R., B. Moshiri and R. HoseinNezhad, Sensor fusion by pseudo information measure: A mobile robot application 283–301

Baeyens, E., *see* Herreros, A. 457–472
Besembel, I., *see* Chacón, E. 95–113
Border, D., *see* Kolla, S. 191–194
Bromberg, J.P., *see* Sanchez, A. 343–363
Budiarto, H., *see* Kusumoputro, B. 395–407

Camacho, E.F., *see* Pérez de la Parte, M. 19– 30
Camacho, O., *see* Pérez de la Parte, M. 19– 30
Castelli, L., *see* Duarte, M. 57– 79
Castillo, A., *see* Duarte, M. 57– 79
Chacón, E., I. Besembel, F. Narciso, J. Montilva and E. Colina, An integration architecture for the automation of a continuous production complex 95–113
Chacón, E., *see* Altamiranda, E. 485–499
Chan, W.L., *see* Tsang, K.M. 51– 56
Chen, L., *see* Lu, J. 215–224
Chen, L.Z., S.K. Nguang and X.D. Chen, On-line identification and optimization of feed rate profiles for high productivity fed-batch culture of hybridoma cells using genetic algorithms 409–419
Chen, X.D., *see* Chen, L.Z. 409–419
Chia, T.L., Model predictive control helps to regulate slow processes—robust barrel temperature control 501–509
Cho, S.-K. and H.-H. Lee, A fuzzy-logic antiswing controller for three-dimensional overhead cranes 235–243
Chow, K.M., *see* Lo, C.H. 445–456
Çinar, A., *see* Tatara, E. 225–270
Colina, E., *see* Altamiranda, E. 485–499
Colina, E., *see* Chacón, E. 95–113
Contreras, A., *see* Duarte, M. 57– 79
Crusca, F., *see* Wang, M. 323–331

Duarte, M., A. Castillo, F. Sepúlveda, A. Contreras, P. Giménez and L. Castelli, Multivariable control of grinding plants: A comparative simulation study 57– 79
Dubay, R., Self-optimizing MPC of melt temperature in injection moulding 81– 94
Dutton, K., *see* Ibrahim, S. 13– 18

Gao, Z., From linear to nonlinear control means: A practical progression 117–189
Garcia, C., *see* Sotomayor, O.A.Z. 127–143
Giménez, P., *see* Duarte, M. 57– 79
Gollain, C., *see* Sanchez, A. 343–363

Green, R.G., *see* Ibrahim, S. 13– 18
Guestrin, E.D., *see* Adam, E.J. 225–234
Gupta, A., C. Mazumdar and D. Patranobis, A distributed simulation technique for multiple input multiple output systems 421–435

Haji-Valizadeh, A., *see* Ravaie, K. 115–126
Han, C., *see* Shin, D. 3– 11
Herreros, A., E. Baeyens and J.R. Perán, Design of PID-type controllers using multiobjective genetic algorithms 457–472
HoseinNezhad, R., *see* Asharif, M.R. 283–301
Holý, R. and J. Požívil, Batch control system project for a pharmaceutical plant 245–254
Huang, B., *see* Kadali, R. 521–537
Huang, B., *see* Malhotra, A. 155–166
Huang, X.-G., *see* Wang, Q.-G. 37– 49

Ibrahim, S., R.G. Green, K. Dutton and R.A. Rahim, Lensed optical fiber sensors for on-line measurement of flow 13– 18

Jakeman, C., *see* Sanchez, A. 343–363
Jatmiko, W., *see* Kusumoputro, B. 395–407
Jiang, A., *see* Xiong, Q. 203–213
Jutan, A., *see* Xiong, Q. 203–213

Kadali, R. and B. Huang, Controller performance analysis with LQG benchmark obtained under closed loop conditions 521–537
Kher, S., *see* Saravanan, S 437–444
Kolla, S. and D. Border, Robustness of discrete-time state feedback control systems 191–194
Kusumoputro, B., H. Budiarto and W. Jatmiko, Fuzzy-neuro LVQ and its comparison with fuzzy algorithm LVQ in artificial odor discrimination 395–407

Lee, H.-H., *see* Cho, S.-K. 235–243
Lo, C.H., Y.K. Wong, A.B. Rad and K.M. Chow, Fusion of qualitative bond graph and genetic algorithms: A fault diagnosis application 445–456
Lu, F., *see* Lu, J. 215–224
Lu, H., *see* Yen, G.G. 273–282
Lu, J., L. Chen, J. Shen, Y. Wu and F. Lu, A study of control strategy for the bin system with tube mill in the coal fired power station 215–224

Macchietto, S., *see* Sanchez, A. 343–363
Malhotra, A. and B. Huang, Detection of abrupt change and applications in sensor decalibration monitoring 155–166
Mazumdar, C., *see* Gupta, A. 421–435
Meier, F.A., Editorial viewpoint. A P&ID standard: What, why, how? 389–394
Montilva, J., *see* Chacón, E. 95–113
Moon, Y.S., *see* Shin, D. 3– 11
Moshiri, B., *see* Asharif, M.R. 283–301

Narciso, F., *see* Chacón, E. 95–113
Nguang, S.K., *see* Chen, L.Z. 409–419
Noura, H., *see* Theilliol, D. 365–382

Ozaki, N., Visually enhanced CCTV digital surveillance utilizing Intranet and Internet 303–315
Ou, J. and R.R. Rhinehart, Grouped-neural network modeling for model predictive control 195–202

Park, S.W., *see* Sotomayor, O.A.Z. 127–143
Patranobis, D., *see* Gupta, A. 421–435
Perán, J.R., *see* Herreros, A. 457–472
Pérez de la Parte, M., O. Camacho and E.F. Camacho, Development of a GPC-based sliding mode controller 19– 30
Ponsart, J.-C., *see* Theilliol, D. 365–382
Požívil, J., *see* Holý, R. 245–254

Rad, A.B., *see* Lo, C.H. 445–456
Rad, A.B., *see* Tsang, K.M. 51– 56
Rahim, R.A., *see* Ibrahim, S. 13– 18
Ravaie, K. and A. Haji-Valizadeh, Selecting human machine interface package in integrating a process automation system 115–126
Rhinehart, R.R., A statistically based filter 167–175
Rhinehart, R.R., Message from the Editor 1– 1
Rhinehart, R.R., *see* Ou, J. 195–202

Rotstein, G., *see* Sanchez, A. 343–363
Ru, H., *see* Wang, Q.-G. 37– 49

Sanchez, A., G. Rotstein, N. Alsop, J.P. Bromberg, C. Gollain, S. Sorensen, S. Macchietto and C. Jakeman, Improving the development of event-driven control systems in the batch processing industry. A case study 343–363
Saravanan, S. and S. Kher, Fuzzy control of multivariable process by modified error decoupling 437–444
Saunders, L.K.L., *see* Vahdati, N. 145–154
Sepúlveda, F., *see* Duarte, M. 57– 79
Shen, J., *see* Lu, J. 215–224
Shen, J.-C., New tuning method for PID controller 473–484
Shin, D., C. Han and Y.S. Moon, Ball stud inspection system using machine vision 3– 11
Sorensen, S., *see* Sanchez, A. 343–363
Sotomayor, O.A.Z., S.W. Park and C. Garcia, Software sensor for on-line estimation of the microbial activity in activated sludge systems 127–143

Tatara, E. and A. Çinar, An intelligent system for multivariate statistical process monitoring and diagnosis 255–270
Theilliol, D., H. Noura and J.-C. Ponsart, Fault diagnosis and accommodation of a three-tank system based on analytical redundancy 365–382
Torres, H., *see* Altamiranda, E. 485–499
Tsang, K.M., A.B. Rad and W.L. Chan, Autotuning positive feedback time delay controller for dead time processes 51– 56

Vahdati, N. and L.K.L. Saunders, High frequency testing of rubber mounts 145–154

Wang, M. and F. Crusca, Design and implementation of a gain scheduling controller for a water level control system 323–331
Wang, Q.-G., H. Ru and X.-G. Huang, An effective frequency domain approach to tuning non-PID controllers for high performance 37– 49
Wong, Y.K., *see* Lo, C.H. 445–456
Wu, Y., *see* Lu, J. 215–224

Xi, Y., *see* Zhang, W. 333–342
Xi, Y., *see* Zhang, W. 511–520
Xiong, Q., A. Jiang and A. Jutan, Experimental investigation of subspace identification and LQ control of a pressure tank 203–213
Xu, X., *see* Zhang, W. 31– 36
Xu, X., *see* Zhang, W. 317–322
Xu, X., *see* Zhang, W. 333–342
Xu, X., *see* Zhang, W. 511–520

Yang, G., *see* Zhang, W. 511–520
Yen, G.G. and H. Lu, Acoustic emission data assisted process monitoring 273–282
Yuki, Y., Alarm system optimization for increasing operations productivity 383–387

Zhang, W., Y. Xi, G. Yang and X. Xu, Design PID controllers for desired time-domain or frequency-domain response 511–520
Zhang, W. and X. Xu, H_∞ PID controller design for runaway processes with time delay 317–322
Zhang, W. and X. Xu, Optimal solution, quantitative performance estimation, and robust tuning of the simplifying controller 31– 36
Zhang, W., X. Xu and Y. Xi, A new two-degree-of-freedom level control scheme 333–342